



Sanæ 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz Nrang: 75
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us


FLTACF results




Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 0
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 1
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsepr: 300 us



Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 2
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsepr: 300 us




Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 3
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)


Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 4
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us



Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 5
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsepr: 300 us




Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 6
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 7
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 8
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 9
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 10
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 11
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 12
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 13
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 14
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 15
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 16
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 17
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 18
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 19
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 20
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 21
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 22
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 23
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 24
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 25
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 26
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 27
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 28
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 29
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 30
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 31
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 32
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 33
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 34
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 35
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 36
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 37
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 38
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 39
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 40
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 41
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 42
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 43
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 44
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 45
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 46
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 47
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 48
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 49
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 50
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 51
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 52
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 53
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 54
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 55
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 56
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 57
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 58
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 59
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 60
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 61
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 62
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 63
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 64
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 65
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 66
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 67
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 68
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 69
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 70
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 71
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 72
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 73
Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us



Fitting exited with status: 4
(not enough good lags)

Sane 2010/2/14 12:2:49 UT Beam: 7 Freq: 12415 kHz FITACF Range: 74
 Nave: 70 CPID: 150 (normalscan) Noise: 3662 Logfr: 1200 us Smse: 300 us



Fitting exited with status: 4
 (not enough good lags)