



Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz Nrang: 100
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us

LMFIT results




Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 0
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 1
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 2
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 KHz LMFT Range: 3
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 KHz LMFT Range: 4
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 5
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 6
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 7
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 8
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 9
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us





Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 10
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 11
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 12
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 13
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 14 Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 15
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 16
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 17
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 18
Nave: 19 CPID: -3310 (unknown) Noise: 145 Logfr: 1200 us Smsep: 300 us




Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 19
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 20
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 21
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 22
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 23
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 24
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 25
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 26
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 27
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 28
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 29
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 30
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 31
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 32
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 33
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 34
Nave: 19 CPID: -3310 (unknown) Noise: 145 Logfr: 1200 us Smsep: 300 us




Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 35
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us





No Good Fit


Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 36
 Nave: 19 CPID: -3310 (unknown) Noise: 145 Logfr: 1200 us Smsep: 300 us



Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 37
 Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 38
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 39
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 40
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 41
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 42
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 43
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 44
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 45
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 46
 Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 47
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 48
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 49
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 50
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 51
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 52
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 53
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 54
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 55
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 56
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 57
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 58
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 59
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 60
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 61
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 62
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 63
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 64
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 65
 Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 66
 Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 67
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 68
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 69
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFT Range: 70
Nave: 19 CPID: -3310 (unknown) Noise: 145 Logfr: 1200 us Smsep: 300 us




Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 71
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 72
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 73
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 74
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 75
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 76
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 77
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 78
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 79
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 80
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 81
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 82
 Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 83
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 84
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 85
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 86
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 87
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 88
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 89
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 90
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 91
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 92
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 93
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 94
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 95
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 96
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 97
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 98
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
Not enough food lags for a fit

Goose Bay 2012/2/14 0:0:12 UT Beam: 7 Freq: 10494 kHz LMFIT Range: 99
Nave: 19 CPID: -3310 (unknown) Noise: 145 Lagfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
Not enough food lags for a fit