



Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz Nrang: 100
Nave: 27 CPID: 157 (unknown) Noise: 67 Lagfr: 1200 us Smsep: 300 us

LMFIT results




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFIT Range: 0
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFIT Range: 1
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 2
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 3
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us



Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 4
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFIT Range: 5
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFIT Range: 6
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFIT Range: 7
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFIT Range: 8
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFIT Range: 9
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit


Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 10 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 11 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us



Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 12 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 13
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Not enough good lags for a fit




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 14
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 15
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 16
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 17
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 18
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 19
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 20
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 21
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 22
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 23
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 24
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 25
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 26
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 27
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 28
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 29
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 30
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us






Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 31 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 32
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us



Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 33
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 34
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 35
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFIT Range: 36
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 37
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 38
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 39
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 40
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 41
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 42
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 43
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 44
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 45
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 46
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 47
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 48
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 49
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us



Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 50
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 51
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 52
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 53
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 54
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 55
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 56
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 57
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 58
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 59
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 60
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 61
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 62
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 63
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 64
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 65
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 66
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 67
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 68
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 69
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 71
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 72
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 73
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 74
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 75
 Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 76
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 77
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 78
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 79
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 80
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 81
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 82
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 83
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 84
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 85
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 86
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 87
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 88
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 89
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 90
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 91
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 92
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 93
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 94
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 95
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 96
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 97
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 98
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
Not enough good lags for a fit

Rankin Inlet 2008/01/27 20:01:24 UT Beam: 7 Freq: 15440 kHz LMFT Range: 99
Nave: 27 CPID: 157 (unknown) Noise: 67 Logfr: 1200 us Smsep: 300 us



Not enough good lags for a fit