



Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz Nrang: 75
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us


FlTACF results




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 0
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 1
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 2
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 3
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 4
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 5
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 6
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 7
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 8
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 9
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 10
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 11
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 12
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 13
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 14
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 15
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 16
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 17
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 18
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 19
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 20
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 21
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 22
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 23
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 24
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 25
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us





Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 26
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 27
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 28
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 29
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 30
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)


Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 31
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 32
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 33
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 34
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 35
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 36
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 37
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 38
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 39
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 40
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 41
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 42
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 43
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 44
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 45
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 46
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 47
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 48
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 49
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 50
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 51
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 52
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 53
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 54
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 55
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 56
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 57
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 58
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 59
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 60
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 61
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 62
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 63
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 64
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 65
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 66
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 67
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 68
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smseps: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 69
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 70
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 71
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 72
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 73
Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Inuvik 2010/07/26 18:02:00 UT Beam: 7 Freq: 10595 kHz FITACF Range: 74
 Nave: 28 CPID: -3350 (unknown) Noise: 88 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)