



Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz Nrang: 75
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us


FlTACF results



Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 0
Nave: 63 CPID: 150 (normalscan) Noise: 124 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 1
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 2
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 3
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 4
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 5
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 6
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 7
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 8
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 9
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 10 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 11 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 12 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 13
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 14 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 15 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 16 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 17
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 18
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 19
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 20 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 21 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 22 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 23 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 24
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 25
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 26 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 27 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 28 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 29
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 30 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 31
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 32 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 33 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 34 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 35 Nave: 63 CPID: 150 (normalscan) Noise: 124 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 36 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 37
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 38 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 39
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 40 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us



Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 41
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 42
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 43
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us



Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 44
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 45
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 46
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 47
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 48
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 49
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 50
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 51
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 52
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 53
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 54
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 55 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 56 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 57
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 58
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 59
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 60
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 61
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 62
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 63
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 64
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 65
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 66 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us



Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 67
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 68
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 69
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 70
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 71




Fitting exited with status: 4 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 72
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 73
 Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2010/01/01 20:02:35 UT Beam: 18 Freq: 12340 kHz FITACF Range: 74
Nave: 63 CPID: 150 (normalscan) Noise: 124 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1