



Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz Nrang: 75
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsepr: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 0
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 1
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smpsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 2
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 3
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsepr: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 4
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 5
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 6
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 7
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 8
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 9
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 10
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 11 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 12
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smpsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 13
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 14
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 15
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 16
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 17 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 18
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 19 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 20 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 21
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 22 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smpsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 23
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsepr: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 24 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 25 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 26 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 27
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 28
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 29
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 30
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smpsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 31
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 32 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 33 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 34 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us



Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 35 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 36
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 37
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 38
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smpsp: 300 us



Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 39 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 40
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 41
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsepr: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 42
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 43
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 44
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 45
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 46
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsepr: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 47
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 48
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 49
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 50
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 51
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 52
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smpsp: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 53
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 54
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smse: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 55
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 56
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 57
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 58 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smpsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 59
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 60
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 61
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 62
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 63
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 64
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 65
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 66
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 67
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 68 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smpsep: 300 us



Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 69 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smpsep: 300 us




Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 70
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 71




Fitting exited with status: 4 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 72
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 73
 Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Fort Hays East 2009/12/16 20:03:45 UT Beam: 8 Freq: 11918 kHz FITACF Range: 74
Nave: 61 CPID: 150 (normalscan) Noise: 6 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)