



Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz Nrang: 100
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us

FLTACF results




Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 0
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 1
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 2
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 3
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 4
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 5
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 6
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 7
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 8
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 9
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 10
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 11
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 12
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 13
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 14
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 15
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 16
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 17
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 18
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 19
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 20
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 21
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 22
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 23
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 24
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 25 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 26
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 27
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 28
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 29
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 30
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 31
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 32
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 33




Fitting exited with status: 4 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 34
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 35
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 36
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 37
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 38
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 39
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 40
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 41
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 42
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 43
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 44
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 45
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 46
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 47
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 48
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 49
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 50
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 51
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 52
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 53
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 54
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 55
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 56
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 57
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 58
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 59
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 60
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 61
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 62
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 63
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 64
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 65
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 66
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 67
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 68
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 69
 Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 70
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 71
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 72
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 73
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 74
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 75
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 76
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 77
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 78
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 79
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 80
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 81
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 82
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 83
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 84
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 85
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 86
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 87
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)


Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 88
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 89
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 90
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 91
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 92
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 93
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 94
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 95
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 96
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 97
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 98
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Rankin Inlet 2011/05/01 18:01:24 UT Beam: 7 Freq: 12255 kHz FITACF Range: 99
Nave: 27 CPID: -157 (unknown) Noise: 783 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)