




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz Nrang: 100
Nave: 28 CPID: -3300 (themisscan) Noise: 73 Lagfr: 1200 us Smsepr: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 0 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 1 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 2 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 3 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 4
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 5 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 6
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 7
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 8
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 9
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 10 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 11 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us



Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 12 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 13
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 14 Nave: 28 CPID: -3300 (thermsscans) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 15
 Nave: 28 CPID: -3300 (thermsscans) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 16
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 17
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 18 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 19
 Nave: 28 CPID: -3300 (thermsscanscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 20
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 21
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 22
Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 23
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 24
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 25
 Nave: 28 CPID: -3300 (thermsscanscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 26
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 27 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 28
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 29
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us



Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 30
Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 31
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 32 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 33 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 34 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 35 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 36
Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 37
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 38
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 39
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 40 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 41
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 42
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 43
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 44 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 45 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 46
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 47
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us



Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 48
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasings 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 49
 Nave: 28 CPID: -3300 (thermsscans) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 50
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 51
 Nave: 28 CPID: -3300 (thermsscanscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 52
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 53
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 54
Nave: 28 CPID: -3300 (thermsscans) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 55
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 56
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 57
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 58
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 59
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 60
Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 61
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 62
Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 63
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 64
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 65
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 66
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 67
Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 68
 Nave: 28 CPID: -3300 (thermsscanscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 69
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 70
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 71
Nave: 28 CPID: -3300 (thermsscanscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 72
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 73
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 74
 Nave: 28 CPID: -3300 (thermsscanscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 75
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 76
 Nave: 28 CPID: -3300 (thermsscans) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasings 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 77
Nave: 28 CPID: -3300 (thermsscans) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 78
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 79
 Nave: 28 CPID: -3300 (thermsscans) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 80
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 81
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 82
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 83
 Nave: 28 CPID: -3300 (thermsscans) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 84
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 85 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasling 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 86
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 87
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 88
 Nave: 28 CPID: -3300 (thermsscans) Noise: 73 Logfr: 1200 us Smsep: 300 us




Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 89
 Nave: 28 CPID: -3300 (thermsscanscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasig 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 90
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 91
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 92
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 93
 Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 94
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 95
Nave: 28 CPID: -3300 (thermiskan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 96
 Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 97
 Nave: 28 CPID: -3300 (thermsscanscan) Noise: 73 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 98
Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Kapuskasing 2012/03/01 18:30:16 UT Beam: 13 Freq: 14427 kHz FITACF Range: 99
Nave: 28 CPID: -3300 (themisscan) Noise: 73 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1