






Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz Nrang: 75
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsepr: 300 us
LMFIT results




Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 0 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Logfr: 1200 us Smsep: 300 us



Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 1
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Logfr: 1200 us Smsep: 300 us




Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 2
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Logfr: 1200 us Smse: 300 us




No Good Fit


Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 3
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Logfr: 1200 us Smsep: 300 us



Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 4
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Logfr: 1200 us Smsep: 300 us




Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 5
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 6
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Logfr: 1200 us Smsep: 300 us




Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 7
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Logfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 8
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Logfr: 1200 us Smsep: 300 us




Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 9
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 10
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 11
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 12
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 13
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 14
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 15
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 16
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 17
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 18
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 19
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 20
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 21 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 22
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 23
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 24
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 25
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 26
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 27
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 28
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 29
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 30
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 31
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 32
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 33
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 34
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 35
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 36
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 37
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 38
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 39
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 40
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 41
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 42
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 43
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 44
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 45
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 46
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 47
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 48
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 49 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 50 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 51
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 52
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 53
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 54
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 55
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 56
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 57
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 58
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 59
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 60
 Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 61
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 62
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 63
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 64
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Logfr: 1200 us Smsep: 300 us




Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 65
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 66
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 67
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 69
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 70
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 71
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 72
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFT Range: 73
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/12/16 14:02:42 UT Beam: 7 Freq: 10521 kHz LMFIT Range: 74
Nave: 24 CPID: 3300 (themisscan) Noise: 389 Lagfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
Not enough good lags for a fit