








Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz Nrang: 75
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsepr: 300 us
LMFIT results







Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 0 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 1
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smse: 300 us



Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 2
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smseps: 300 us




Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 3
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 4
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsepp: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 5
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 6
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 7
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 8
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 9
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 10
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 11 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 12
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 13
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 14
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 15
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 16
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 17
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 18
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 19
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 20
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 21
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 22
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 23
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 24
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 25
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 26
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 27
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 28
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 29
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 30
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 31
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 32
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 33
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us






No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 34
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 35
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 36
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 37
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 38
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 39
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 40
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsepp: 300 us





No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 41
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 42 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smseps: 300 us




Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 43
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 44
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 45
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 46
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smseps: 300 us




Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 47
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 48
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 49
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 50
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 51
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 52
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us






Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 53
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 54 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smseps: 300 us




Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 55
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 56
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 57
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us






Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 58
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us






No Good Fit


Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 59
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsepp: 300 us



Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 60 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 61
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 62
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 63
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Logfr: 1200 us Smsep: 300 us




No Good Fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 64
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 65
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 66
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 67
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 68
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 69
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 70
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 71
 Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 72
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFT Range: 73
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
Not enough good lags for a fit

Saskatoon 2010/06/16 20:02:42 UT Beam: 7 Freq: 10787 kHz LMFIT Range: 74
Nave: 25 CPID: 3300 (themisscan) Noise: 122 Lagfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
Not enough good lags for a fit