



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz Nrang: 100
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 0
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 1
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 2
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 3
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 4
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 5
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 6
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 7
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 8
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 9
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 10
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 11
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 12
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 13
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 14
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 15
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 16
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 17
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 18
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 19
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 20
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 21
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 22
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 23
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 24
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 25
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 26
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 27
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 khz FITACF Range: 28
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 29
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 30
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 31
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 32
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 33
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 34
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 35
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 36
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 37
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 38
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 39
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 40
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 41
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 42
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 43
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 44
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 45
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 46
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 47
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 48
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 49
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 50
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 51
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 52
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 53
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 54
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 55
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 56
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 57
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 khz FITACF Range: 58
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 59
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 60
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 61
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 62
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 63
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 64
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 65
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 66
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 67
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 khz FITACF Range: 68
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 69
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 70
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 71
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 72
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 73
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 74
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 75
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 76
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 77
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 78
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 79
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 80
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 81
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 82
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 83
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 khz FITACF Range: 84
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 khz FITACF Range: 85
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 86
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 87
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 88
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 89
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 90
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 91
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 92
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 93
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 94
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 95
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 96
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 97
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 98
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz FITACF Range: 99
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)