





Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz Nrang: 100
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us


LMFIT results



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 0
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 1
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 2
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 3
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 4
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 5
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 6
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 7
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 8
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 9
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 10 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 11
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 12
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 13 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 14 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 15 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 16
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 17 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 18 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 19
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 20 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 21
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 22
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 23
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 24
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 25 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 26
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 28
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 29
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 30
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 31
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 32
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 33
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 34
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 35
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 36
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 37
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 38
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 KHz LMFIT Range: 39
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 40
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 41
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 42
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 43
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 44
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 45
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 46
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 47
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 48
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 49
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 50
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 51
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 52
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 53 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 54
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 55
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 56
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 57
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 58
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 59
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 60 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 61
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 62
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 63 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 64 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 65
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 66
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 67
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 68
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 69
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 70
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 71
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 72
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 73
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 74
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 75
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 76
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 77
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




No Good Fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 78
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 79
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 80
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Lagfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 KHz LMFIT Range: 81
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us






Not enough good lags for a fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 82
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us






Not enough good lags for a fit




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 83 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 84 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us






Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 85 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us






Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 86 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 87
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us






Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 88 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us






Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 89 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 90 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 91
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 92
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 93
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 94
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




No Good Fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 95
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




No Good Fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFIT Range: 96
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




No Good Fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 97
 Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us




No Good Fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 98
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



No Good Fit

Fort Hays West 2012/02/14 14:36:17 UT Beam: 11 Freq: 14800 kHz LMFT Range: 99
Nave: 25 CPID: -3300 (themisscan) Noise: 1518 Logfr: 1200 us Smsep: 300 us



No Good Fit