



Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz Nrang: 100
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us

FLTACF results




Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 0
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 1
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 2
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 3
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 4
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 5
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 6
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 7
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 khz FITACF Range: 8
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 9
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 10 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 11
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 12
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 13
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 14 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 15
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 16
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 17
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 18
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 19
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 20
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 21
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 22
 Nave: 25 CPID: 3300 (thermsscans) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 23
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 24
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 25
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 26
Nave: 25 CPID: 3300 (thermsscanner) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 27
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 28
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 29
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 30
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 31
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 32
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 33
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 34
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 35
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 36
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 37
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 38
Nave: 25 CPID: 3300 (thermsscans) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 39
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 40
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 41
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 42
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 43
Nave: 25 CPID: 3300 (thermiskan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 44
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 45
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 46
 Nave: 25 CPID: 3300 (thermsscans) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 47
 Nave: 25 CPID: 3300 (thermsscans) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 48
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 49
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 50
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 51
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 52
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 53
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 54
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 55
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 56
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 57
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 58
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 59
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 60
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 61
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 62
 Nave: 25 CPID: 3300 (thermsscans) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 63
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 64
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 65
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 66
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 67
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 68
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 69
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us



Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 70
Nave: 25 CPID: 3300 (thermsscanner) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 71
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 72
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 73
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 74
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 75
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 76
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 77
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 78
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 79
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 80
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 81
 Nave: 25 CPID: 3300 (thermsscans) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 82
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 83
Nave: 25 CPID: 3300 (thermiskan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 84
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 85
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 86
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 87
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 88
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 89
Nave: 25 CPID: 3300 (thermiskan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 90
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 91
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 92
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 93
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 94
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 95
 Nave: 25 CPID: 3300 (thermsscans) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 96
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 97
 Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 98
Nave: 25 CPID: 3300 (themisscan) Noise: 19177 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2012/02/16 14:02:41 UT Beam: 7 Freq: 10800 kHz FITACF Range: 99
Nave: 25 CPID: 3300 (thermiskan) Noise: 19177 Logfr: 1200 us Smsep: 300 us

