Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz Nrang: 100

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us

FITACF results



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 0

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 1

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 2

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 3

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 4

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 5

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 6

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 7

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 8

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 9

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 10

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 11

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 12

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 13

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 14

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 15

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 16

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 17

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 18

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 19

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 20

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 21

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 22

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 23

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 24

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 25

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 26

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 27

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 28

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 29

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 30

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 31

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 32

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 33

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 34

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 35

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 36

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 37

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 38

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 39

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 40

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 41

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 42

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 43

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 44

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 45

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 46

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 47

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 48

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 3

(c_log < 0)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 49

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 50

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 51

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 52

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 53

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 54

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 55

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 56

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 57

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 58

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 59

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 60

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 61

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 62

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 63

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 64

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 65

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Fort Hays West 2011/09/10 04:30:02 UT Beam: 7 Freq: 10934 kHz FITACF Range: 66

Nave: 21 CPID: 3300 (themisscan) Noise: 370 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)