
Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz Nrang: 70
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us
FITACF results
Power
Velocity
Width
Good Lags
Range Gate
0
10
20
30
40
50
60
70
26
22
18
15
11
7
3
Power [dB]
150
100
50
0
−50
−100
−150
Velocity [m s^{-1}]
65
56
46
37
28
18
9
Spec. Width [m s^{-1}]
17
15
12
10
7
5
2
Good Lags [#]

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 0
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 1
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 2

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 3
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 4
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 5
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 6
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 7
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 8
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 9

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 10

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 11

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 12

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 13

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 14

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us



Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 15

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us



Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 16

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us



Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 17

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us



Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 18

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 19

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 20

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 21

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 22

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 23

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 24
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 25

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 26
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 27
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 28
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 29
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 30
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 31
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 32

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 33
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 34
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 35

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 36
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 37
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 38

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 39

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 40
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 41
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 42
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 43
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 44
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 45
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 46
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 47
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 48
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 49

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 50
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 51

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 52

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 53

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 54
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 55
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 56
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 57
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 58
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 59
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 60
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 61
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 62

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 63

Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us







Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 64
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 65
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 66
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 1



Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 67
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 68
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: −1

Tiger 2010/12/16 14:02:06 UT Beam: 7 Freq: 10195 kHz FITACF Range: 69
Nave: 34 CPID: 8551 (unknown) Noise: 2026 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: −1