




Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz Nrang: 100
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



FLTACF results



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 0
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 1
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 2
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 3
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 4
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 5
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 6
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 7
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 8
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 9
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 10
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 11
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 12
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 13
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 14 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 15
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 16
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us




Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 17
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 18
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 19 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us




Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 20
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 21
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 22
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 23
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 24
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 25
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 26
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 27
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us





Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 28
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 29
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 30
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 31
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us




Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 32
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 33 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us




Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 34
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 35
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us




Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 36
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 37
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 38
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 39
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 40
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 41
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 42
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 43
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 44
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 45
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 46
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 47
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 KHz FITACF Range: 48
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 49
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 50
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 51
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 52
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 53
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 54
 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 55
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 56
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 57
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 58
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 59
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 60
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 61
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 62
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 63
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 64
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 65
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 66
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 67
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 68
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 69
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 70
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 71
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 72
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 73
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 74
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 75
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 76
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 77
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 78
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 79
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 80
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 81
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 82
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 83
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 84
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 85
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 86
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 87
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 88
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 89
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 90
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 91
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 92
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 93
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 KHz FITACF Range: 94
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 95
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 96 Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: 1



Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 97
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 kHz FITACF Range: 98
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Goose Bay 2012/04/20 11:00:04 UT Beam: 7 Freq: 10449 KHz FITACF Range: 99
Nave: 19 CPID: -3310 (themis-tauscan) Noise: 17 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1