



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz Nrang: 70
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsepr: 300 us


FLITACF results




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 0
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us





Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 1
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 2
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 3
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 4
 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 5
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 6
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 7
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 8
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 9
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 10 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us





Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 11 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 12 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 13 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 14
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 15
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 16 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 17 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 18 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 19
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 20
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 21
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 22 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsepr: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 23
 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 24 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 25 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 26 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 27
 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 28




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 29 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 30 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 31
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us





Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 32
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsepr: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 33
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us




Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 34 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 35 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 36
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 37
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 38
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 39
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 40
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 41
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 42
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 43
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 44
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 45
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 46 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 47
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 48
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 49
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 50
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 51
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 52
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 53
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 54
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1


Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 55
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 56
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 57
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 58
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 59
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 60
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 61
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 62
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 63
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 64
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 65
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 66
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1



Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 67
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 KHz FITACF Range: 68
Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Saskatoon 2000/06/07 00:18:50 UT Beam: 7 Freq: 10205 kHz FITACF Range: 69
 Nave: 75 CPID: 150 (normalscan) Noise: 2074 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)