



Sonae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz Nrang: 75

Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us

FITACF results




Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 0
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 1
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 2
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 3
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 4
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 5
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 6
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 7
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanæ 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 8
Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 9
Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 10
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 11
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 12
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 13
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 14
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 15
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 16
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 17
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 18
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 19
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 20
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 21
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 22
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 23
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 24
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 25
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 26
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 27
Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 28
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 29
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 30
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 31
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sane 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 32
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 33
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 34
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 35
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 36
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 37
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 38
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 39
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 40
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 41
Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 42
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 43
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 44
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 45
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 46
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 47
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sane 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 48
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 49
Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 50
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 51
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 52
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 53
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 54
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sane 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 55
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 56
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 57
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sane 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 58
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 59
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 60
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 61
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 62
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsepr: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 63
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 64
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 65
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 66
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 67
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 68
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 69
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 70
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 71
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 72
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 73
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Sandae 2011/12/16 14:01:21 UT Beam: 7 Freq: 12455 kHz FITACF Range: 74
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 24657 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)