



Sanoe 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz Nrang: 70
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us
LMFIT results




Sanea 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 0
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sange 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 1
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 2
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sange 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 3
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 4
 Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 5
 Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us






Lag 0 Power too low for a fit

Sane 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 6
 Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us






Lag 0 Power too low for a fit




Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 7
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us






Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 8
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Sane 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 9
 Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 10
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us



Sanæ 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 11
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 12
 Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 13
 Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 14
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 15
 Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 16
 Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 17
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 18
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 19
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanæ 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 20
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 21
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 22
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 23
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 24
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 25
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 26
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 27
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 28
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 29
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 30
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 31
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 32
 Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 33
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 34
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 35
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 36
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 37
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 38
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 39
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 40
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 41
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 42
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 43
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 44
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 45
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 46
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 47
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 48
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 49
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 50
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 51
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 52
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 53
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 54
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 55
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanæ 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 56
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 57
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 58
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 59
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 60
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 61
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 62
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 63
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 64
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 65
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 66
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 67
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFT Range: 68
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit

Sanae 2006/06/03 14:10:57 UT Beam: 7 Freq: 12565 kHz LMFIT Range: 69
Nave: 78 CPID: 150 (normalscan) Noise: 23882 Lagfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
Not enough good lags for a fit