



Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz Nrang: 70  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us


FITACF results




Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 0  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us




Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 1  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us



Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 2  
 Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us




Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 3  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us




Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 4  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 5 Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us



Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 6  
 Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us



Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 7  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 8  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 9  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 10  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 11  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 12  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 13  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 14  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 15  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 16  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 17  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 18  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 19  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 20  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 21  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 22  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 23  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 24  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 25  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 26  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 27  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 28  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 29  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 30  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 31  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 32  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 33  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 34  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 35  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 36  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 37  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 38  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 39  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 40  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 41  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 42  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 43  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 44  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 45  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 46  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 47  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 48  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 49  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 50  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 51  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 52  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 53  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 54  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 55  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 56  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 57  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 58  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 59  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 60  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 61  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 62  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 63  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 64  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 65  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 66  
Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1



Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 67  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 68  
Nave: 33 CPID: -151 (normalscan-fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Kerguelen 2007/03/17 20:01:32 UT Beam: 5 Freq: 13795 kHz FITACF Range: 69  
 Nave: 33 CPID: -151 (normalscan -fast) Noise: 1277 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4  
 (not enough good lags)