




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz Nrang: 225
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us

FLTACF results





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 0
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 1
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 2
 Nove: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 3
Nove: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 4
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 5
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 6
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 7
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)


Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 8
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 10
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us



Fitting exited with status: 4
(not enough good lags)




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 11
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 12
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 13
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 14
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 15
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 16
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 17
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 18
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 19
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 20
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 21
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 22
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 23
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 24
 Nove: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 25
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 26
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 27
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 28
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 29
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)


Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 30
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 31
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 32
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 33
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 34
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 35
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 36
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 37
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 38
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 39
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 40
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 41
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 42
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 43
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 KHz FITACF Range: 44
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us



Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 45
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 46
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 KHz FITACF Range: 47
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 48
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 49
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 50
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 51
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 KHz FITACF Range: 52
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 KHz FITACF Range: 53
 Nove: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 KHz FITACF Range: 54
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 55
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 56
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 57
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)


Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 58
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 KHz FITACF Range: 59
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us



Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 60
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 61
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 62
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 63
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 64
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 65
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 66
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 67
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 68
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 69
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 70
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 71
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 72
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 73
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 74
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 75
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 76
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 77
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 78
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 79
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 80
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 81
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 82
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 83
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 84
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 85
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 86
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 87
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 88
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 89
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 90
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)


Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 91
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 92
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 93
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 94
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 95
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 96
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 97
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 98
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 99
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 100
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 101
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us



Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 102
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 103
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 104
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 105
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 106
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 107
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 108
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 109
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 110
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 KHz FITACF Range: 111
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 112
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 113
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 114
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 115
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 116
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)


Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 117
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 118
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 119
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 120
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 121
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us



Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 122
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 123
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 124
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 125
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 126
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 127
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 128
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 129
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 130
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 131
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 132
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 133
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 134
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 135
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 136
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 137
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 138
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 139
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 140
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 141
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 142
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 143
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 144
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 145
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 146
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 147
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 148
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 149
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 150
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 151
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 152
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 153
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 154
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 155
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 156
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 157
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 158
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 159
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 160
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 161
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 162
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 163
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 164
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 165
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 166
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 167
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 168
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 169
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 170
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 171
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 172
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 173
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 174
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 175
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 176
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 177
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 178
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 179
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 180
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 181
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 182
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 183
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 184
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 185
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 186
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 187
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 188
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 189
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 190
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 191
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 192
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 193
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 194
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 195
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 196
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 197
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 198
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 199
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 200
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 201
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 202
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 203
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 204
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 205
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 206
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 207
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 208
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 209
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 210
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 211
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 212
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 213
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 KHz FITACF Range: 214
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 KHz FITACF Range: 215
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 216
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 KHz FITACF Range: 217
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 218
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us




Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 219
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 220
 Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
 (not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 221
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us





Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 222
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Logfr: 1200 us Smsep: 100 us




Fitting exited with status: 3
(c-log > 0)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 223
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us



Fitting exited with status: 4
(not enough good lags)

Kodiak 2011/07/24 04:31:31 UT Beam: 9 Freq: 10544 kHz FITACF Range: 224
Nave: 27 CPID: 151 (normalscan -fast) Noise: 456 Lagfr: 1200 us Smsep: 100 us



Fitting exited with status: 4
(not enough good lags)