



Sonae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz Nrang: 75
Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us


FITEX2 results



Sandae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 0
Nave: 28 CPID: 151 (normalscan -fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit



Lag 0 Power too low for a fit


Not enough good lags for a fit

Sanae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 2
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 3
Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 4
Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit

Sanae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 5
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 6
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 7
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 8
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 9
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Lagfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 10
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 11
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 12
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 14
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 15
Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit
Model Error too high for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 16
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit




Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 17
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us

Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 19
Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 20
Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 21
Nave: 28 CPID: 151 (normalscan -fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 22
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 23
Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 24
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 25
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 26
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 27
Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 28
Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 29
Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit

Sanae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 30
Nave: 28 CPID: 151 (normalscan -fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 31
Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 32
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 33
Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 34
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 35
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 36
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 37
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 38
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 39
Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 40
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 41
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 43
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 45
Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 46
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit

Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 49
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 51
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 52
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 53
Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 54
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 56
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 58
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 59
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 60
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 62
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 63
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit


Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 64
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 67
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 68
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 69
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 70
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 71
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 72
Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit



Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/23 08:15:21 UT Beam: 7 Freq: 12350 kHz FITEX2 Range: 74
 Nave: 28 CPID: 151 (normalscan-fast) Noise: 3541 Logfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
 Not enough good lags for a fit