



Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz Nrang: 75
Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us


FITEX2 results



Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 0
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 2
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit
 Model Error too high for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 3
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 4
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 6
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 8
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 9
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit
 Model Error too high for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 10
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 11
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 12
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 13
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smse: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 14
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 15
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 16
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 17
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 18
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 19
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 20
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 21
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 22
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit
 Model Error too high for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 23
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 24
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 25
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smse: 300 us




Power too low for a fit
 Model Error too high for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 26
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit
 Model Error too high for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 27
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 28
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 29
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 30
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 31
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 32
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 33
Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit
Model Error too high for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 34
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 35
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 36
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit
 Model Error too high for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 38
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit
 Model Error too high for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 39
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 40
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 41
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit


Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 42
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us



Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 45
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 47
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Power too low for a fit
 Model Error too high for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 48
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 49
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smse: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 50
Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smse: 300 us




Model Error too high for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 51
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 52
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 53
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smse: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sange 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 54
Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 55
Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit
Model Error too high for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 56
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smse: 300 us




Power too low for a fit
 Model Error too high for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 57
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 58
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smse: 300 us




Power too low for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 59
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 60
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit
 Model Error too high for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 61
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 62
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 63
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 65
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 66
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smpsep: 300 us




Power too low for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 67
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 68
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Lag 0 Power too low for a fit
 Not enough good lags for a fit


Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 69
 Nave: 28 CPID: 151 (normalscan - fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us




Not enough good lags for a fit



Lag 0 Power too low for a fit
 Not enough good lags for a fit




Lag 0 Power too low for a fit
 Not enough good lags for a fit




Not enough good lags for a fit

Sane 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITX2 Range: 73
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smse: 300 us



Power too low for a fit
 Model Error too high for a fit

Sanae 2010/03/25 00:15:36 UT Beam: 12 Freq: 12585 kHz FITEX2 Range: 74
 Nave: 28 CPID: 151 (normalscan -fast) Noise: 13745 Logfr: 1200 us Smsep: 300 us



Lag 0 Power too low for a fit
 Not enough good lags for a fit