




Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz Nrang: 100
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Lagfr: 1200 us Smsep: 300 us

FLTACF results




Saneae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 0
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 1
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 2
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 3
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 4
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 5
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 6
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 7
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 8
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 9
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 10
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sane 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 11
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 12
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 13
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 KHz FITACF Range: 14
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 15
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 16
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 17
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 18
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 19
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 20
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 21
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 22
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 23
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 24
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us



Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 25
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 26
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 27
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 28
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 KHz FITACF Range: 29
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 30
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 31
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 32
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 33
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 34
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 35
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 36
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 37
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 38
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 39
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 40
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 41
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 42
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 43
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 44
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 45
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sane 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 46
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 47
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 48
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 49
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 50
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 51
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sane 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 52
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sane 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 53
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 KHz FITACF Range: 54
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 55
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 56
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 57
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 58
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 59
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 60
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 61
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 62
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 63
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 KHz FITACF Range: 64
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 65
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 66
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 67
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 68
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 69
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 70
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 71
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 72
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 73
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sane 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 74
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 75
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 76
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 77
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 78
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 79
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 80
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 KHz FITACF Range: 81
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sanae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 82
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 83
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 84
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 85
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 86
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sane 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 87
 Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 3
 (c-log > 0)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 88
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 89
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 90
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 91
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 92
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 93
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Sane 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 94
 Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 95
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 96
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 97
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 98
Nave: 26 CPID: 3300 (themisscan) Noise: 3539 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Sandae 2010/03/19 15:10:04 UT Beam: 7 Freq: 12500 kHz FITACF Range: 99
Nave: 26 CPID: 3300 (thermiskan) Noise: 3539 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good logs)