



Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz Nrang: 75
Nave: 25 CPID: 3300 (themisscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us


FTTACF results




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 0
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 1 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 2 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 3 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 4
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 5
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 6
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 7
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us



Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 8
 Nave: 25 CPID: 3300 (themisscan) Noise: 33 Logfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 9
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 10 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 11
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 12 Nave: 25 CPID: 3300 (themisscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 13 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 14 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us



Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 15 Nave: 25 CPID: 3300 (thermsscans) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 16
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 17
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 18 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 19
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 20 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 21
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 22 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us




Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 23
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 24 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us



Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 25 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 26
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 27 Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 28
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Logfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 29
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 30 Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 31
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 32 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 33 Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 34 Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 35
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 36
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 37
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 38
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 39
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 40
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 41
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 42
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 43
Nave: 25 CPID: 3300 (themisscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 44
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 45
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 46
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 47
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 48
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 49
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 50
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 51
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 52
Nave: 25 CPID: 3300 (thermsscans) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 53
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 54
 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)



Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 55
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 56
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 57
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 58
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 59
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 60 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 61
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 62
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 63
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 64
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 65 Nave: 25 CPID: 3300 (themisscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 66 Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 67
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 68
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 69 Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 70
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 71
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 72
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 73
Nave: 25 CPID: 3300 (thermiskan) Noise: 33 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Prince George 2008/02/11 04:34:03 UT Beam: 12 Freq: 10539 kHz FITACF Range: 74
Nave: 25 CPID: 3300 (thermsscanscan) Noise: 33 Lagfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)