




Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz Nrang: 75
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsepr: 300 us

FLTACF results




Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 0
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)



Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 1
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us



Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 2 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 3
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 4
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 5 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 6
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 7
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 8
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 9
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)


Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 10 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 11
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us



Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 12
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 13
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 14
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 15
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 16
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us



Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 17
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 18
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 19
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)



Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 20
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us



Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 21
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 22
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 23
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 24
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 25
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 26
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 27
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 28
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)


Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 29
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 30
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 31
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us



Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 32
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 33
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 34
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 35
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 36
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 37
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 38
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 39
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 40
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 41
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 42
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 43
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 44
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 45
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 46
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 47
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 48
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 49
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 50
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 51
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 52
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 53
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 54
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 55
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 56
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 57 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 58
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 59 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 60
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 61
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 62
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 63
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us




Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 64
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 65
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 66
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 67
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 68
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1



Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 69
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 70
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us


Fitting exited with status: -1

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 71
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 72
 Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us





Fitting exited with status: 4
 (not enough good lags)

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 73
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Lagfr: 1200 us Smsep: 300 us

Fitting exited with status: -1

Syowa East 2008/02/18 03:30:03 UT Beam: 7 Freq: 10475 kHz FITACF Range: 74
Nave: 25 CPID: 3300 (themisscan) Noise: 579 Logfr: 1200 us Smsep: 300 us



Fitting exited with status: 4
(not enough good lags)